

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): A conductive polymer gel comprising water as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 2 (Original): The conductive polymer gel according to claim 1, which further contains an electrolyte.

Claim 3 (Original): The conductive polymer gel according to claim 1, wherein the conductive conjugated polymer is doped with a dopant.

Claim 4 (Original): The conductive polymer gel according to claim 1, wherein the conductive conjugated polymer is polypyrrole or polythiophene.

Claim 5 (Original): The conductive polymer gel according to claim 3, wherein the dopant is polystyrenesulfonic acid.

Claim 6 (Original): The conductive polymer gel according to claim 1, which contains alkylbenzenesulfonic acid as the surfactant.

Claim 7 (Original): The conductive polymer gel according to claim 1, which contains at least one of a monohydric alcohol having 3 or more carbon atoms and a polyhydric alcohol as the alcohol.

Claim 8 (Original): A method of producing a conductive polymer gel, which comprises the steps of:

adding at least one of a surfactant and an alcohol to at least one of a conductive conjugated polymer colloidal dispersion and a conductive conjugated polymer solution, and

leaving the resulting mixture to stand, thereby to gelatinize at least one of the conductive conjugated polymer colloidal dispersion and the conductive conjugated polymer solution.

Claim 9 (Original): An actuator comprising an actuator body made of a conductive polymer gel, wherein the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 10 (Original): An iontophoretic patch label comprising a pad made of a conductive polymer gel, and a pair of electrodes provided on one surface of the pad at regular intervals,

wherein the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 11 (Original): A biomedical electrode comprising an electrode device, and a member which electrically and physically connects the electrode device to an analyte, wherein the member is made of a conductive polymer gel and the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 12 (Original): A toner comprising a core made of a conductive polymer gel, and a resin portion provided on the surface of the core, wherein the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 13 (Original): The toner according to claim 12, wherein the conductive conjugated polymer is doped with a dopant.

Claim 14 (Original): A conductive functional member comprising a base material, and a conductive portion made of a toner provided on at least one surface of the base material,

wherein the toner comprises a core made of a conductive polymer gel, and a resin portion provided on the surface of the core, and

the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 15 (Original): An antistatic sheet comprising a base material, and a conductive portion made of a toner provided on at least one surface of the base material,

wherein the conductive portion has a planar shape,

the toner comprises a core made of a conductive polymer gel, and a resin portion provided on the surface of the core, and

the conductive polymer gel contains water, as a main component, conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 16 (Original): A printed circuit member comprising a base material, and a conductive portion made of a toner provided on at least one surface of the base material, wherein the conductive portion has a planar shape, the toner comprises a core made of a conductive polymer gel, and a resin portion provided on the surface of the core, and the conductive polymer gel contains water, as a main component, conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 17 (Original): A conductive paste comprising a conductive polymer gel, a conductive powder and a resin binder, wherein the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 18 (Original): The conductive paste according to claim 17, wherein the conductive conjugated polymer is doped with a dopant.

Claim 19 (Original): A conductive functional member comprising a base material, and a conductive portion made of a conductive paste provided on at least one surface of the base material, wherein the conductive paste contains a conductive polymer gel, a conductive powder and a resin binder, and the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 20 (Original): A printed circuit member comprising a base material, and a conductive portion made of a conductive paste provided on at least one surface of the base material,

wherein the conductive paste contains a conductive polymer gel, a conductive powder and a resin binder, and

the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 21 (Currently Amended): The printed circuit member according to claim 20, wherein an antenna is made of the ~~linear~~ conductive portion and an IC chip is connected to the antenna.

Claim 22 (Original): An electrode for fuel cell comprising a conductive polymer gel, wherein the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.

Claim 23 (Original): The electrode for fuel cell according to claim 22, wherein the conductive conjugated polymer is doped with a dopant.

Claim 24 (Original): A fuel cell comprising a power generation portion composed of one or more cells stacked with each other, each cell comprising first and second electrodes, and an electrolyte interposed between the electrodes, wherein at least one of the first and second electrodes contains a conductive polymer gel and the conductive polymer gel contains water, as a main component, a conductive conjugated polymer, and at least one of a surfactant and an alcohol.